


PROPOSED RAMP "B"

STA 18+40.00 TO STA 20+50.00



PROPOSED LEGEND

- 1) 4" TOPSOIL PLACEMENT
- 2) SEEDING, CLASS 2A
- (3) SEEDING. CLASS 4
- (4) AGGREGATE SUBGRADE IMPROVEMENT 12"
- (5) SUBBASE GRANULAR MATERIAL, TYPE C 4"
- 6 STABILIZED SUBBASE HOT-MIX ASPHALT, 4"
- (7) BITUMINOUS MATERIALS (PRIME COAT)
- PORTLAND CEMENT CONCRETE PAVEMENT 9 3/4"
 (JOINTED)
- (9) PORTLAND CEMENT CONCRETE SHOULDERS 9 3/4"
- (10) PIPE UNDERDRAINS 6"
- 11) COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24
- (2) COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24 (ABUTTING EXISTING PAVEMENT)
- (13) COMBINATION CONCRETE CURB AND GUTTER, TYPE
- (4) COMBINATION CONCRETE CURB AND GUTTER, TYPE M-6.24 (ABUTTING EXISTING PAVEMENT)
- (15) CONCRETE MEDIAN SURFACE, 4 INCH
- (6) LONGITUDINAL CONSTRUCTION JOINT DRILL AND GROUT *6 TIE BARS 30" LONG AT 18" CTS
- LONGITUDINAL SAWED JOINT
 *6 TIE BARS 36" LONG AT 18" CTS
- (B) LONGITUDINAL CONSTRUCTION JOINT DRILL AND GROUT *8 TIE BARS 30" LONG AT 18" CTS
- (19) CLASS SI CONCRETE (OUTLET)

NOTE:

SEE ROADWAY PLAN AND PROFILE SHEETS FOR LOCATIONS OF PRECAST CONCRETE PAVEMENT SLABS.

DENOTES WORK INCLUDED IN THE COST OF OTHER ITEMS.

EXISTING LEGEND

- (A) 12" TOP SOIL
- B) 12" AGGREGATE SUBGRADE IMPROVEMENT
- (C) 4" STABILIZED SUBBASE HOT-MIX ASPHALT
- D 9 3/4" PCC PAVEMENT
- E 9 3/4" PCC SHOULDERS
- F) 9 3/4" AGGREGATE SHOULDERS
- G COMB. CONCETE CURB AND GUTTER, 8-6.24
- (H) TIE BARS
- TURF MEDIAN

	1			
JOLIET, ILLINOIS 60431				
STRAND (815) 744-4200				
ASSOCIATES*	1			

	USER NOME = dammax	DESIGNED -	 JLB	REVISED	-
)	MODEL NAME : Default	DRAWN -	DJ#	REVISED	-
	PLOT SCALE > 10.0000 '/ In.	CHECKED -	 ВМА	REVISED	-
	PLOT DATE = 12/18/2013	DATE -	 12/17/13	REVISED	-

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCALE: NTS

TYPICAL SECTIONS

SHEET 4 OF 7 SHEETS STA. TO STA.